

TECHNICAL DATA SHEET

QUAKERCOOL® 7750 SEMI-SYNTHETIC METALWORKING FLUID

QUAKERCOOL® 7750 is a semi-synthetic metalworking fluid formulated with the latest low environmental impact technology but yet delivering superior performance in cutting metals and handling the fluid.

Applications

QUAKERCOOL® 7750 offers a high degree of lubrication for multi-metal machining operations and performs especially well in aluminum tapping and reaming applications. Suitable for brass machining resinsiting stains on yellow metals.

Recommendations for Use

QUAKERCOOL® 7750 has been designed to operate in water conditions from 100 ppm water to 500 ppm. It is also recommended for machining aluminum, ferrous, stainless steel, titanium and high nickel alloys.

Health, Safety and Handling

Please consult the Safety Data Sheet (SDS) for information on storage, safe handling and disposal. The conditions or methods of handling, storage, use and disposal of the product are beyond our reasonable control - we assume no liability for any ineffectiveness of the product or any injury or damage, arising out of or in connection with these conditions. This product has a shelf life of 6 months, and it should be stored out of direct sunlight in temperatures between 40°F (4°C) and 110°F (43°C).

Benefits

- Free of boron, chlorine and formaldehyde releasers
- Reduces tool wear when machining stainless steel
- Imparts smooth finish when machining aluminum
- Resists formation of soaps relative to older technology platforms
- Controls foam in water hardness from 50ppm to 500ppm

Properties

PROPERTY	TYPICAL VALUE	UNIT
Concentrate: Appearance	Light amber	
Concentrate: Density	8.02	lbs/gal
Concentrate: Neat pH	9.6	
Dilution: Appearance	Milky white	
Dilution: pH (7% distilled water)	9.2	
Refractive Index Factor for Concentration	1.3	

All reasonable care has been taken to ensure this publication is accurate upon issue. Such information may be affected by changes subsequent to issue. This Technical Data Sheet is to be used solely for this product. Prior to any use, consult the Safety Data Sheet (SDS) for information on hazard risks and product use parameters. All liability and all warranties express or implied are hereby excluded as to product performance results, the accuracy of these data including any warranty of merchantability or fitness for any purpose. 017167

